## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	)
Bradley T. KELLER et al.	) Group Art Unit: TBA
Bladiey 1. RELLER et al.	) Examiner: TBA
Serial No. TBA	) Examiner. TBA
Filed: July 3, 2003	) Atty. Dkt. 161765.00535 (3296/01/US/CON)

For: Combination Therapy for the Prophylaxis and Treatment of Hyperlipidemic

CONDITIONS AND DISORDERS

## **INFORMATION DISCLOSURE STATEMENT UNDER 37 C.F.R. § 1.97(c)**

Commissioner of Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

Pursuant to their duty of good faith and candor as set forth in 37 C.F.R. §§ 1.56(a), 1.97 and 1.98 et seq., Applicants submit herewith the attached Form PTO/1449. Applicants have submitted each of the references cited on pages 1-12 of attached Form PTO/1449 in parent application Serial No. 09/802,313. The Examiner is directed to the parent application for copies of the references cited in pages 1-12 of the enclosed Form PTO/1449. Should the Examiner still require copies of documents cited on pages 1-12 of Form PTO/1449, please let us know and we will provide a duplicate of those references. Applicants respectfully request that the Examiner consider and enter all the documents cited on the enclosed Form PTO/1449 into the file of the above-identified application. Applicants also request an indication of the same by return of the Form PTO/1449 being initialed and dated by the Examiner.

No fees are believed due to ensure consideration of the attached documents by the Examiner. However, if any fees are required or an overpayment of fees made, the Commissioner is hereby authorized to debit or credit our Deposit Account No. 19-0733, as necessary.

Respectfully submitted.

Dated: <u>July 3, 2003</u>

Ajay Pathak Reg. No. 38,266

Banner & Witcoff, LTD. Eleventh Floor 1001 G Street, N.W. Washington, D. C. 20001-4597 (202) 824-3000

AP/pw Attachments: Form PTO/1449 519279\_1.DOC

USPTO Form 1449 (	modified)	U.S. Department of Commerce					
Patent and Trademar	k Office	-		Attorney Docl	ket No.		Serial No.
INFORMAT	TION DIS	SCLOSURE		161765.00535 (3296	/01/US/CON)		TBA
CITATION		•		Applicant(s): KELLE	R et al.		
Page 1 of 12				(, ====			
							Examiner:
				Filing Date: July 3, 20	03		TBA
							Group: TBA
	T =	<del>-,</del>	U.S. PATEN	NT DOCUMENTS			
Examiner	Doc Tab	Patent No.	Date	Name	Class	Subcl	Filing Date
Initial	No.			Name	Class	Subci	(if appropriate)
**	1	3,262,850	07/26/66	Glynne		1 -	(
**	2	3,287,370	11/22/66	Mohrbacher		1	
**	3	3,389,144	06/18/68	Mohrbacher	<del></del>	1	
**	4	3,520,891	07/21/70	Mohrbacher		<del> </del>	<del></del>
**	5	3,674,836	07/04/72	Creger		┿	
**	6	3,692,895	09/19/72	Nelson	<del>                                     </del>	<del>                                     </del>	
**	7	3,714,190	03/13/72	Boissier			9
**	8				<del> </del>	<del>                                     </del>	
**		3,781,328	12/25/73	Witte	ļ		
**	9	3,948,973	04/06/76	Phillips	ļ		•
**	10	3,962,261	06/08/76	Zinnes			
**	11	3,972,878	08/03/76	Schirmann			
	12	3,983,140	09/28/76	Endo			
**	13	4,002,750	01/11/77	Ambrogi			
**	14	4,058,552	11/15/77	Mieville			
**	15	4,185,109	01/22/80	Rosen			
**	16	4,231,938	11/04/80	Monaghan			
**	17	4,251,526	02/17/81	McCall			
**	18	4,346,227	08/24/82	Terahara			
**	19	4,444,784	04/24/84	Hoffman			
**	20	4,559,332	12/17/85	Grob			
**	21	5,075,293	12/24/91	Reifschneider			
**	22	5,153,184	10/06/92	Reifschneider			
**	23	5,158,943	10/27/92	Sohda			
**	24	5,244,887	09/14/93	Straub			
**	25	5,260,316	11/09/93	Van Duzer			
**	26	5,334,600	08/02/94	Van Duzer			
**	27	5,350,761	09/27/94	Van Duzer			
**	28	5,354,772	10/11/94	Kathawala			
**	29	5,430,116	07/04/95	Kramer			
**	30	5,502,045	03/26/96	Miettinen			
**	31	5,512,558	04/30/96	Enhsen			
**	32	5,519,001	05/21/96	Rampratap			
**	33	5,602,152	02/11/97	Berthelon			
**	34	5,610,151	03/11/97	Glombik		<b> </b>	
**	35	5,663,165	09/02/97	Brieaddy			
**	36	5,703,188	12/30/97	Mandeville			
**	37	5,705,524	01/06/98	McGee		<del>                                     </del>	
**	38	5,723,458	03/03/98	Brieaddy		<del>                                     </del>	
**	39	5,767,115	06/16/98	Rosenblum			
**	40	5,929,062	07/27/99	Haines			
	~	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	31121177	11011103	L		

.

•

USPTO Form 1449 (modified) U.S. Department of Commerce Attorney Docket No. Serial No. Patent and Trademark Office 161765.00535 (3296/01/US/CON) **TBA** INFORMATION DISCLOSURE **CITATION** Applicant(s): KELLER et al. Page 2 of 12 Examiner: Filing Date: July 3, 2003 TBA Group: TBA \*\* 41 5,994,391 11/30/99 Lee \*\* 42 6,020,330 02/01/00 Enhsen \*\* 43 6,034,118 Bischofberger 03/07/00 FOREIGN PATENT DOCUMENTS Examiner Document No. Date **Country** Class Subcl Translation Initial YES NO \*\* 44 AU-A-30209/92 12/17/92 Australia Х \*\* 45 AU-A-61946/94 06/05/94 Australia  $\mathbf{x}$ \*\* 46 AU-A-61948/94 06/05/94 Australia X \*\* 47 AU-A-61949/94 06/05/94 Australia X \*\* 48 2,025,294 03/15/91 Canada \*\* 49 2,078,588 03/22/93 Canada \*\* 50 2,085,782 06/21/93 Canada \*\* 51 2,085,830 06/21/93 Canada \*\* 52 0 067 086 10/05/82 Europe \*\* 53 0 129 748 02/01/85 Europe \*\* 54 0 250 265 06/19/87 Europe \*\* 55 0 338 331 06/04/89 Europe \*\* 56 0 379 161 01/17/90 Europe \*\* 57 0 508 425 A1 09/04/92 Europe \*\* 58 0 526 402 A1 02/03/93 Europe \*\* 59 0 531 901 A2 02/09/92 Europe \*\* 60 0 549 967 A1 12/17/92 Europe \*\* 61 02/24/93 0 559 064 A2 Europe \*\* 62 0 563 731 A1 03/22/93 Europe \*\* 63 04/27/93 0 568 898 A1 Europe \*\* 64 0 796 846 A1 07/03/97 Europe Х \*\* 65 0 801 060 A1 15/10/97 Europe \*\* 66 0818 197 A1 06/25/97 Europe х \*\* 67 0818448A1 06/24/97 Europe X \*\* 68 2 661 676-A1 02/05/90 France \*\* 196 27 430 A1 08/07/96 69 Germany Х \*\* 70 1211258 02/01/68 Germany \*\* 71 10-287662 10/27/98 Japan X \*\* 72 89/01477 **PCT** 02/23/89 **Abst** \*\* 73 91/08205 06/13/91 **PCT** Abst \*\* 74 92/17467 PCT 10/15/92 Abst \*\* 75 92/18115 10/29/92 **PCT** Abst \*\* 76 92/18462 10/29/92 **PCT** Abst \*\* 77 93/16055 08/19/93 **PCT** Abst \*\* 78 93/21146 10/28/93 **PCT** Abst \*\* 79 94/18183 08/18/94 **PCT** Abst

Patent and Tra		U.S. Department of Comr	nerce	Attorney Doc 161765.00535 (329		Serial No. TBA	
	MATION DIS	SCLOSURE			<i>5,01,00,001</i> ()	12/1	
Page 3 o				Applicant(s): KELLE	R et al.		
<b></b>				Filing Date: July 3, 20	003	Examiner: TBA	
**	- 1 00	1044000				Group: TBA	
**	80	94/18184	08/18/94	PCT		Abst	
**	81	94/24087	10/27/94	PCT		Abst	<u> </u>
**	82	95/21843	08/17/95	PCT		Abst	
	83	96/05188	02/22/96	PCT		Abst	
**	84	96/08484	03/21/96	PCT		Abst	
**	85	96/16051	05/30/96	PCT		Abst	
**	86	96/40255	12/19/96	PCT		Abst	
**	87	97/03953	02/02/97	PCT		Abst	
**	88	97/33882	09/18/97	PCT		Abst	
**	89	97/49387	12/31/97	PCT		Abst	
**	90	97/49736	12/31/97	PCT		Abst	
**	91	98/02432	01/22/98	PCT		Abst	
**	92	98/06405	02/19/98	PCT		Abst	
**	93	98/23593	06/04/98	PCT		Abst	
**	94	98/35937	08/20/98	PCT		Abst	<del> </del>
**	95	98/38182	09/03/98	PCT		Abst	
**	96	98/39299	09/11/98	PCT		Abst	
**	97	98/40375	09/17/98	PCT		Abst	
**	98	98/56757	12/17/98	PCT		Abst	-
**	99	99/11259	03/11/99	PCT	<del>                                     </del>	71031	
**	100	99/11260	03/11/99	PCT			
**	101	99/11263	03/11/99	PCT			
**	102	99/14174	03/25/99	PCT		Abst	
**	103	99/14204	03/25/99	PCT		71031	
**	104	99/14215	03/25/99	PCT		Abst	
**	105	99/32478	07/01/99	PCT	<del> </del>	11050	
**	106	99/35135	07/15/99	PCT			<u> </u>
**	107	99/64409	12/16/99	PCT	+	Abst	
**	107	00/35889	06/22/00	PCT	<del> </del>		
**	108	2 305 665	04/16/97	United Kingdom		Abst	
**	110	2 329 334	03/24/99	<del></del>			
		1		United Kingdom	D 4 D	4.	
**		A Parrett et al	"Total Camelagia	Author, Title, Date,	Pertinent Pages, e	etc.)	
	111	Containing Cho	10tal Synthesis lectoral Ector Tra	and Stereochemical Ansfer Protein Inhibitor	ssignment of the Q	Cham San 100	oane-
		pgs. 7863-7864	iostoryi Ester 11ai	usici i ioteni unnoltol	0-100303 , J. AIII	Chem. 300., 199	70, 118
**			High Density Lin	oproteins and Coronar	v Heart Disease"	Atherosclerosis	121
	112	1996, pgs. 1-12.		Proteins and Corollar	, 110mi Discuse , 1	imorosoiciosis,	141
**	112			niation of Arenediazoni	ium Salts Accompa	nied by Arvl Ra	dical
	113			7, Vol. 52, pgs. 1922-1			
**				nd Colestipol Stimulate		ed Clearance of I	_ow
	114	Density Lipopro	tein From Plasma	In Familial Hypercho	lesterolemia Heter	zygotes", Proc. N	Natl.
				83, pgs. 4124-4128		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	

•

.

Patent and Trac		U.S. Department of Commerce	Attorney Docket No. 161765.00535 (3296/01/US/CON)	Serial No.	
	IATION DIS	SCLOSURE	101703.00333 (3290/01/US/CON)	TBA	
Page 4 of	<del></del>		Applicant(s): KELLER et al.		
L			Filing Date: July 3, 2003  Examiner: TBA  Group: TBA		
**		<del></del>		Group: TBA	
•••	115	C. Bisgaier et al., "Cholestery No. 12, 1994, pgs. 811-818	/l Ester Transfer Protein Inhibition By PD 14	0195, Lipids, Vol. 29,	
**	116	D. Blankenhorn et al., "Bener Atherosclerosis and Coronary pgs. 3233-3240	ficial Effects of Combined Colestipol-Niacin Venous Bypass Grafts", JAMA, June 19, 19	Therapy On Coronary 087, Vol. 257, No. 23,	
**	117	D. Blankenhorn et al., "Benef Artery" Circulation Vol. 88,	ficial Effects of Colestipol-Niacin Therapy or I July 1993, pgs. 20-28	the Common Carotid	
**	118	P. Bonin et al., "A Peptide In	hibitor Of Cholesteryl Ester Transfer Protein ary", Journal of Peptide Research, 51, 1998,		
**	119	G. Brown, et al., "Regression Lowering Therapy in Men W Medicine, Volume 323, Nove	of Coronary Artery Disease As A Result of I ith High Levels Of Apolipoprotein B", The Number 8, 1990, Number 19, pgs. 1289-1339.	Intensive Lipid- New England Journal of	
**	120	Human Fibroblasts Incubated	f 3-hydroxy-3Methylglutaryl Coenzyme A R with Compactin (ML-236B), A Competitive clogical Chemistry, Vol. 253, No. 4, February	Inhibitor of the	
**	121		Ester Analogs Inhibit Cholesteryl Ester But No olesteryl Ester-Triglyceride Transfer Protein'		
**	122		ituted 4, 5-Dihydro-1, 2-Benzothiazepin-3-O	ne 1, 1-Dioxide", J.	
**	123	L. Cashin-Hemphill et al., "B	eneficial Effects of Colestipol-Niacin on Cor December 19, 1990, Vol. 264, No. 23, pgs. 30	onary Atherosclerosis A	
**	124	P. Catsoulacos et al., "Synthe	sis of Some N-Substituted 4,5-Dihydro-7,8- one 1,1-Dioxides", J. Heterocyclic Chem., Vo		
**	125	P. Catsoulaços et al., "Thiazo	Compounds. Derivatives of 4, 5-Dihydro-7, one 1, 1-Dioxides", Journal of Chemical and		
**	126	K. Cho et al, "A Peptide Fron	n Hog Plasma that Inhibits Human Cholestery nysica Acta, 1391, 1998, pgs. 133-144	l Ester Transfer	
**	127	D. Connolly et al., "Inactivation	on of Cholesteryl Ester Transfer Protein by C Research Communications 223, pgs. 42-47,	Systeine Modification", 1996	
**	128	S. Coval et al., "Wiedendiol-A Marine Sponge Xestosponga" No. 6, pgs. 605-610, 1995	A and-B, Cholesteryl Ester Transfer Protein In Wiedenmayeri", Bioorganic & Medicinal Cho	nhibitors From The emistry Letter, Vol. 5,	
**	129	J. Davignon et al., "Apolipop Leads to the Discovery of Pse pgs. 199-203	rotiein E and Atherosclerosis: Quest for an A udo Type III Dyslipoproteinemia in a Family	", Atherosclerosis IX,	
**	130	J. Davignon et al., "Comparat	ive Efficacy and Safety of Pravastatin, Nicoti percholesterolemia", The American Journal		

.

.

.

USPTO Form 1449 (		U.S. Department of Commerce	Attorney Docket No.	Serial No.			
Patent and Trademark INFORMAT		SCI OSLIBE	161765.00535 (3296/01/US/CON)	TBA			
CITATION	TON DI	SCLOSORE	WELLED				
			Applicant(s): KELLER et al.				
Page 5 of 12				Examiner:			
			Filing Date: July 3, 2003 TBA				
				Group: TBA			
**	131	C. East et al., "Combination Dru Internal Medicine, July 1, 1988,	g Therapy for Familial Combined Hyper pgs. 25-32	lipidemia", Annals of			
**			d Safety of Simvastatin (Alone or in Asso	ociation with			
	132		n 66 Patients with Type II Hyperlipoproto				
		Heart Journal (1990), 11, pgs. 14					
**	133	D. Erkelens, "Combination Drug	Therapy with HMG Co A Reductase In	hibitors and Bile Acid			
		Sequestrants for Hypercholestero	olmia", Cardiology, 1990, 77, (suppl 4).	ogs. 33-38			
**	134	H. Ginsberg, "Update on the Tre	eatment of Hypercholesterolemia, with a	Focus on HMG-CoA			
	134	Reductase Inhibitors and Combin	nation Regimens", Clinical Cardiology 1	8, pgs. 307-315, (1995)			
**	135	C. Glueck et al., "Gemfibrozil-Le	ovastatin Therapy for Primary Hyperlipo	proteinemias" The			
	133	American Journal of Cardiology,	July 1, 1992, Vol. 70, No. 1, pgs. 1-9				
**		S. Grundy et al., "Influence of Co	ombined Therapy with Mevinolin and In	terruption of Bile-Acid			
	136	Reabsorption on Low Density Li	ipoproteins in Heterozygous Familial Hy	percholesterolemia",			
	<u> </u>	Annals of Internal Medicine, 198					
**	1.05		ibiting Cholesterol Absorption And Synt				
	137		Hypercholesterolemic Non-Insulin-Depe	ndent Diabetic Men",			
	120	Journal of Lipid Research, Volum					
**	138		cular Medicine" Scientific American, pgs				
**	139		e Fungal Metabolite Inhibitor Of Cholest				
<u> </u>			al Chemistry Letters 8, 1998, pgs. 1277-1				
**	140		a-Cholestanecarboxylic" The New Journ	al for Organic			
**	<u> </u>	Synthesis", Vol. 15, Number 1-2	, February-April 1983, pgs. 154-156				
**	141	J. Heubi et al., "Primary Bile Aci	id Malabsorption: Defective In Vitro Ilea	l Active Bile Acid			
**	<del> </del>	Transport", Gastroenterology 198					
TT	142	N. Hoogerbrugge et al., "The Add	ditional Effects of Acipimox To Simvasta	atin In The Treatment of			
**	<del>                                     </del>		urnal of Internal Medicine, 1997, 241: pg				
. •	143		facy and Safety of Pravastatin, Compared				
	, , ,		In Familial Hypercholesterolaemia", Jour	mai of internal Medicine			
**	<del> </del>	1990, 228; pgs. 261-266	fibrata Simulatatia Thank E. C. 11				
	144	Iournal of Clinical Pharmacu and	fibrate-Simvastatin Therapy For Combinal Therapeutics 1994, 19, pgs. 387-389	ieu riyperiipidaemia",			
**	<del> </del>		oocholesterolemic Action of S-8921 in R	oto, C 0001 Inhihita II1			
	145	Rile Acid Absorption" The Journ	nal Of Pharmacology And Experimental	Therepouties Vol 204			
		No. 1, pgs. 43-50	nai Oi i naimacology And Experimental	merapeutics, vol. 284,			
**			of Lovstatin plus Gemfibrozil on Plasma	Linide and Linemestains			
	146	in Patients With Heterozygous Fa	amilial Hypercholesterolemia", Circulation	n Vol. 70 Number 2			
		March 1989, 590-596	annui riyperenoresterorenna, enculant	on voi. 13, number 3,			
**	<u> </u>		Colestipol in Therapy for Severe Heteroz	voous Familial			
	147		of Internal Medicine, 1984; 101, pgs. 59				
	1		or miorital intodionio, 1707, 101, pgs. 37	U-UV <b>T</b>			
	1						
**	148	International Search Report mails	ed May 23 2000 based on PCT/IIS 00/2	7942			
**	148		ed May 23, 2000 based on PCT/US 99/27				
	149	International Search Report mails	ed May 23, 2000 based on PCT/US 99/27	7943			
**	<del></del>	International Search Report mailed International Search Report mailed		7943 7944			

Patent and Trac		U.S. Department of Commerce	Attorney Docket No. 161765.00535 (3296/01/US/CON)	Serial No.
	AATION DIS	SCLOSURE	101703.00333 (3290/01/US/COIN)	TBA
Page 6 of			Applicant(s): KELLER et al.	
L			Filing Date: July 3, 2003	Examiner: TBA
**	153	International Search Report maile	d May 15, 2000 based on PCT/US 99/2	Group: TBA
**	154		d May 17, 2000 based on PCT/US 99/2	
**	154		onary Atherosclerosis During Treatmer	
	155		oined Drug Regimens", JAMA, Decemb	
**	156	A. Katritzky et al., "Preparation O Of w-Phenylalkanesulfamoyl Chlo 463-467 (1992)	of 6-7- And 8-Membered Sultams By Frorides", Organic Preparations and Proce	iedel-Crafts Cyclization edures Int., 24 (4), pgs.
**	157	T. Kazumi et al., "Effects of Nices	ritrol On Elevated Serum Lipoprotein L roteinuria", Current Therapeutic Resear	P (A) Levels in Diabetic rch, Vol. 55, No. 5, May
**	158	W. Kramer, et al., "Intestinal Bile 268, No. 24 Issue of August 25, p	Acid Absorption", The Journal of Biologs. 18035-18046, 1993	ogical Chemistry". Vol.
**	159	Kuo, M.S. et al., "Discovery, Isola Choresteryl Ester Transfer Protein 10634 (1995)	ation, Structure Elucidation, and Biosyn Inhibitor from UC 11136", J. Am. Che	thesis of U-106305, a em. Soc. 117, pp. 10629-
**	160	Kvis, K. et al., "Benzocyclohepte	nes and Heterocyclic Analogues as Pote othiepins and Some Related Compounds 3-3816	ential Drugs. VII, 4- s", Chem.
**	161		ter Transfer Protein Inhibitor from an In	sect-associated Fungus"
**	162		ercholesterolemia With Mevinolin And	Other Lipid-Lowering
**	163	T. Leren et al., "Effects of Lovasta Lipids and Apolipoproteins in Het	atin Alone and In Combination with Cheerozygotes for Familial Hypercholester ation on Atherosclerosis and Related Di	olemia", International
**	164	M. Lewis, et al., "Effects Of 2164"	U90 on Ileal Bile Acid Absorption and esearch, Vol. 36, 1995,pgs. 1098-1105	Serum Cholesterol in
**	165	R. Lewis, Hawley's Condensed Cl	hemical Dictionary, pg. 1238	
**	166	W. Ling et al., "Minireview Dietar Effects", Life Sciences, Vol. 57, N	ry Phytosterols A Review of Metabolism Io. 3, 1995, pgs. 195-206	n, Benefits and Side
**	167	H. Mabuchi et al., "Reduction of S	Serum Cholesterol In Heterozygous Pati England Journal of Medicine, Vol. 308,	ents with Familial , March 17, 1983,pgs.
**	168	M. Malloy et al., "Complementario	ty of Colestipol, Niacin, and Lovastatin Annals of Internal Medicine 1987; 107:	
**	169		equestrants: Their Use In Combination	
**	170	G. Marais et al., "Rhabdomyolysis	and Acute Renal Failure Induced by C s of Internal Medicine, February 1, 1990	
**	171		Atherosclerosis: An Overview", Medi	cinal Research Reviews,

.

USPTO Form 1449 Patent and Tradema	rk Office	U.S. Department of Commerce	Attorney Docket No. 161765.00535 (3296/01/US/CON)	Serial No. TBA
		SCLOSURE	101703.00333 (3290/01/OS/COIN)	IDA
Page 7 of 12			Applicant(s): KELLER et al.	
			Filing Date: July 3, 2003	Examiner: TBA Group: TBA
**	172	R. Morton, "Regulation of Lipid Protein: Selective Inhibition Am 1994, pgs. 836-847	Transfer Between Lipoproteins By An Eleong Lipoprotein Classes, Journal of Lipid	Indogenous Plasma
**	173		lts of B-Amino Aldehydes and B-Iodoald (1965), pgs. 728-734	lehydes", Chemische
**	174	M. Newman et al., "The Conver	sion of Phenols to Thiophenols via Dialky Vol. 31, September-December 1966, pgs.	ylthiocarbamates", The 3980-3984
**	175	A. Orahovats et al., "A Ring Enl	argement from Seven-to Ten-Membered- Acta, Vol. 79, (1996), pgs. 1121-1128	
**	176	H. Pan et al., "Pharmacokinetics Cholestyramine in Hypercholest	and Pharmacodynamics of Pravastatin A erolemia", Clin. Pharmacol Ther. (1980)	9, 313, pgs. 201-207
**	177	N. Panagiotopoulos et al., "N(P-	Bromophenyl) –4,5 – Dihydro –7, 8 – Di oxide C17 H16 brNO5S", Cryst. Struct. C	methoxy
**	178	R. Pasternak et al., "Effect of Co Coronary Heart Disease and "No 1, 1996, Vol. 125, Number 7, pg	ombination Therapy with Lipid-Reducing ormal" Cholesterol Levels", Annals of Int s. 529-538	Drugs in Patients with ernal Medicine, October
**	179	R. Patra et al., "Conformational a Participation In Benzthiepin Der 1989	and Steric Requirements Of The Side Chaivatives", Tetrahedron Letters, Vol. 30, N	ain For Sulphur Io. 32, pgs. 4279-4282,
**	180	R. Pierce et al., "Myopathy and l	Rhabdomyolysis Associated With Lovastauly 4, 1990, Vol. 264, No. 1, pgs. 71-75	atin-Gemfibrozil
**	181	W. Pirkle et al., "Trichlorosilane	-Induced Cleavage. A Mild Method for R ganic Chemistry, Vol. 42, No. 15, 1977, p	Retrieving Carbinols
**	182	W. Pirkle et al., "Dynamic NMR	Studies of Disatereomeric Carbamates: I guration by NMR" Journal of Organic Ch	implications toward the
**	183	W. Pirkle et al., "An Example of	Automated Liquid Chromatography Syn Resolution of 1-(Naphthyl) 2, 2, 2-Trifluro No. 26, 1974, pgs. 3904-3906	thesis of a Broad- oethanol", The Journal of
**	184	T. Pietzonka et al., "Phosphonate	e-Containing Analogs Of Cholesteryl Este in", Bioorganic & Medicinal Chemistry L	er As Novel Inhibitors Of etters, Vol. 6, No. 16,
**	185	Pravastatin Multicenter Study Gr	roup II, "Comparative Efficacy and Safety bined in Patients With Hypercholesterole e 14, 1993, pgs. 1321-1328	
**	186	E. Reihner et al., "Regulation of of Cholestyramine on HMG-CoA	Hepatic Cholesterol Metabolism In Huma A Reductase Activity and Low Density Li Journal of Lipid Research, Volume 31, 1	poprotein Receptor
**	187		f Fluoxetine and Desipramine In Depresso	
**	188	S. Rosenblum et al., "Discovery hydroxypropyl]-(4S)-(4-hydroxy	of 1-(4-Fluorophenyl)-(3R)-[3-(4-fluorophenyl)-2-azetidinone (SCH 58235): A Dibsorption, Journal of Medicinal Chemistr	esigned, Potent, Orally

USPTO Form 1 Patent and Trad	emark Office	U.S. Department of Commerce	Attorney Docket No. 161765.00535 (3296/01/US/CON)	Serial No. TBA	
		SCLOSURE	101703.00333 (3230/01703/CON)	IDA	
Page 8 of	<del></del>		Applicant(s): KELLER et al.		
			Filing Date: July 3, 2003  Examiner: TBA Group: TBA		
**		G. Salem et al., "Benzothiazine and	d Benzothizepine Derivatives: Structur	res of N-p-Bromophenyl-	
	189	6, 7-Dimethoxy-1, 2-Benzothiazin Dimethoxy-N-(5-Methyl-2-Pyridy Cryst. (1986) C42, pgs. 1581-1584	-3(4H)-One 1, 1-Dioxide (BBTZ) and 1)-1,2-Benzothiazepin-3-One 1, 1-Diox	4, 5-Dihydro-8,9- kide (MPTE)", Acta	
**	190	Serum Lipids, Lipoproteins and Cl	atin, A New Inhibitor of HMG-CoA R nolesterol Ester Transfer Activity In Pr nternational Journal of Clinical Pharma	rimary	
**	191	K. Sindelar et al., "Neurotropic and	d Psychotropic Compounds. XXIX. De ical Commun., Vol. 33, 1968, pgs. 431		
**	192	K. Sindelar et al., "Benzocyclohep	tenes and Hete Procyclic Analogues As The Series Of 1-Benzothiepin Derivation	Potential Drugs. III.	
**	193	C. Sirtori, "New Targets For Lipid Vol. 67, No. 3., pgs. 433-447, 199	Lowering And Atherosclerosis Prever 5	ntion", Pharmac. Ther.	
**	194		rization of Human Plasma Proteins Th	at Inhibit Lipid Transfer	
**	195		nbined Therapy with Fluvastin and Ch	olestyramine in	
**	196	C.I. Stassinopoulou, et al., "C NMI	R Spectra of Benzothiazepinone, Benz Derivatives" Department of Biology,	othiazinone and Nuclear Research Center	
**	197	E. Stedronsky et al., "Interaction of	f Bile Acids and Cholesterol with Non Biochimica et Biophysica Acta., 1210,	-Systemic Agents Having	
**	198	I. Stein, et al., "Effects of Simvasta	ntin and Cholestyramine in Familial an n Med. Vol. 150, February 1990, pgs.	d Nonfamilial	
**	199	E. Stein, et al., "Lovastatin Alone A Hypercholesterolema", Alan R. Lis	And In Combination For Treatment Of ss, Inc. 1988, pgs. 281-293	Primary	
**	200		owering and Bile Acid Excretion in the	Hamster with	
**	201	T. Swenson, "Mechanism of Chole Monoclonal Antibody and Mappin	steryl Ester Transfer Protein Inhibition g of the Monoclonal Antibody Epitope o. 24, Aug. 25, pgs. 14318-14326, 198	e", The Journal of	
**	202	A. Tall, "Plasma Cholesteryl Ester 1993, pgs. 1255-1274	Transfer Protein", Journal of Lipid Re	search", Volume 34,	
**	203	Y. Tamura et al., "Novel Conversi	ons of Benzo [b] thiophen-3 (2-H)-one 2-Benzothiazepin-5-One Systems via 2830-2834	•	
**	204	K. Thurmond et al., "Water-Soluble	e Knedel-like Structures: The Preparat merican Chemistry Soc. Vol., 118, No		
**	205		Drug Delivery", Pharmaceutical Rese	earch, Vol. 3. No. 6 1986,	

•

In Information Disclosure  CITATION  Page 9 of 12  **  **  **  **  **  **  **  **  **	USPTO Form 1449 (n		U.S. Department of Commerce	Attorney Dock	et No.	Serial No.
### Applicant(s): KELLER et al.    Applicant(s): KELLER et al.   Filing Date: July 3, 2003   Examiner: TBA Group: TBA Gro			CLOSIBE			1
Fage 9 of 12  ***    Page 9 of 12   Filing Date: July 3, 2003   Examiner: TBA Group: TBA		פות אסו	CLOSURE	•		
Filing Date: July 3, 2003    Examiner: TBA Group: TBA Group: TBA Group: TBA Group: TBA Dihydroxy-7a-Methyl-5B-Cholanoic Acid And 3a, 7B-Dihydroxy-7a-Methyl-5B-Cholanoic Acid Hamsters, Biochimica et Biophysica Acta, 833 (1985) pgs. 196-202   J. Vacck et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184   M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754   209   G. Vega et al., "Tratament of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37     G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Acta Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246     West et al., "Am ITP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754     O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19     S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450     S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450     J. Witzum, 'Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894	CHATION	<del> 1</del>		Applicant(s): KELLEI	₹ et al.	
## 206 M. Une et al., "Metabolism of 3a, 7a-Dihydroxy-7b-Methyl-5b-Cholanoic Acid and 3a, 7B-Dihydroxy-7a-Methyl-5B-Cholanoic Acid Hamsters, Biochimica et Biophysica Acta, 833 (1985) pgs. 196-202  ## 207 J. Vacek et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  ## M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ## 209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  ## 210 G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry 1994, 37, pgs. 3240-3246  ## 211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHI Rabbits", Science Vol. 282, 10(73/98, pgs. 751-754  212 Q. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ## 213 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witzum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ## 215 Kanamato et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ## 216 K. Ytre-Arne et al., "Simvas	Page 9 of 12					
M. Une et al., "Metabolism of 3a, 7a-Dihydroxy-7b-Methyl-5b-Cholanoic Acid and 3a, 7B-Dihydroxy-7a-Methyl-5b-Cholanoic Acid Hamsters, Biochimica et Biophysica Acta, 833 (1985) pgs. 196-202 J. Vacck et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184 M. Van Heck et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37 G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Actanomy Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  211 J. Wetterau et al., "An American Journal of Medicine Vol. 94, January 1993, pgs. 13-19 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simva						Examiner:
M. Une et al., "Metabolism of 3a, 7a-Dihydroxy-7b-Methyl-5b-Cholanoic Acid and 3a, 7B-Dihydroxy-7a-Methyl-5B-Cholanoic Acid Hamsters, Biochimica et Biophysica Acta, 833 (1985) pgs. 196-202  J. Vacek et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Actransport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ***  211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ***  213 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witzum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** A. Yamamoto et al., "Effects of Probucol on Xanthomata Regr				Filing Date: July 3, 200	03	1
Dihydroxy-7a-Methyl-5B-Cholanoic Acid Hamsters, Biochimica et Biophysica Acta, 833 (1985) pgs. 196-202  J. Vacek et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHI Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  Co. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** Jan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922		· · · · · ·				Group: TBA
pgs. 196-202  J. Vacek et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  The G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  D. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		M. Une et al., "Metabolism of 3a,"	7a-Dihydroxy-7b-Met	hyl-5b-Cholan	oic Acid and 3a, 7B-
pgs. 196-202  1. Vacek et al., "Comparison of Lavastatin (20 mg) and Nicotinic Acid (1.2g) With Either Drug Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  1. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHI Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ** S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** 216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  ** 217 K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hype		206	Dihydroxy-7a-Methyl-5B-Choland	ic Acid Hamsters, Bio	ochimica et Bio	physica Acta, 833 (1985),
Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ***  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ***  211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ***  212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  **  213 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90			pgs. 196-202			
Alone for Type II Hyperlipoproteinemia, The American Journal Of Cardiology, Vol. 76, July 15, 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ***  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ***  211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ***  212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  **  213 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		J. Vacek et al., "Comparison of La	vastatin (20 mg) and M	Vicotinic Acid	(1.2g) With Either Drug
** 1995, pgs. 182-184  M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ** 209		207	Alone for Type II Hyperlipoprotein	nemia, The American	Journal Of Car	diology, Vol. 76. July 15.
M. Van Heek et al., "In Vivo Metabolism-Based Discovery of a Potent Cholesterol Absorption Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ** 209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  ** G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ** J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ** O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ** S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  ** 214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** A Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90			1995, pgs. 182-184	,		,,,
Inhibitor, SCH58235, in the Rat and Rhesus Monkey Through the Identification of the Active Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  ** 209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  ** G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ** J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ** O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ** S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  ** 214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** A Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		M. Van Heek et al., "In Vivo Meta	bolism-Based Discove	ery of a Potent	Cholesterol Absorption
Metabolites of SCH48461", The Journal of Pharmacology and Experimental Therapeutics, Vol. 283, No. 1, pgs. 157-754  209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolemia", Journal of Internal Medicine (1989): 226, pgs. 285-90			Inhibitor, SCH58235, in the Rat an	d Rhesus Monkey Th	rough the Ident	ification of the Active
283, No. 1, pgs. 157-754  G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Activation of Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Tyan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		208	Metabolites of SCH48461" The Id	ournal of Pharmacolog	v and Evnerim	ental Therapeutics Vol
#* 209 G. Vega et al., "Treatment of Primary Moderate Hypercholesterolemia With Lovastatin (Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  Mabits", Science Vol. 282, 10/23/98, pgs. 751-754  S. Wirebaugh et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yam Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	•			ramar of I harmacolog	y and Experim	cital Therapeuties, voi.
(Mevinolin) and Colestipol", JAMA, Jan 2, 1987, Vol. 257, No. 1, pgs. 33-37  G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Ac Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  Method et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		G Vega et al "Treatment of Prime	Moderate Hymerek	olastaralamia '	With I arrestation
G. Wess et al., "Synthesis and Biological Activity of Bile Acid-Derived HMG-CoA Reductase Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Actor Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ** 211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHI Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ** 212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ** S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  ** 214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** 216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		209	(Meyinglin) and Colectinel" IAM	My Moderate Hyperci	57 No. 1 mag	with Lovastatin
Inhibitors. The Role of 21-Methyl in Recognition of HMG-CoA Reductase and the Ileal Bile Actor Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  ** 211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHI Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  ** 212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  ** S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  ** 214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** 216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		G Wass at al "Symthosis and Biol	n, Jan 2, 1967, VOI. 2.	57, No. 1, pgs.	33-37
Transport System", Journal Of Medicinal Chemistry" 1994, 37, pgs. 3240-3246  211 J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		210	G. Wess et al., Synthesis and Biol	ogical Activity of Bile	Acid-Derived	HMG-CoA Reductase
J. Wetterau et al., "An MTP Inhibitor that Normalizes Atherogenic Lipoprotein Levels In WHHL Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  1212 O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  1213 S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  1214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  1215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  1216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  1217 K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		210	Transport Section? In 10006	in Recognition of HIV	IG-Coa Reduc	tase and the Ileal Bile Acid
Rabbits", Science Vol. 282, 10/23/98, pgs. 751-754  **  212  O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	4.4.		Transport System", Journal Of Med	dicinal Chemistry" 19	94, 37, pgs. 32	40-3246
**  212  O. Wiklund et al., "Pravastatin and Gemfibrozil Alone and in Combination for the Treatment of Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**	211	J. Wetterau et al., "An MTP Inhibit	or that Normalizes At	herogenic Lipo	protein Levels In WHHL
Hypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90			Rabbits", Science Vol. 282, 10/23/	98, pgs. 751-754		
**  Bypercholesterolemia", The American Journal of Medicine Vol. 94, January 1993, pgs. 13-19  S. Wirebaugh et al., "A Retrospective Review of the Use of Lipid-Lowering Agents in Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  **  215  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**	212	O. Wiklund et al., "Pravastatin and	Gemfibrozil Alone ar	nd in Combinat	ion for the Treatment of
213 Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  ** 214 J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  ** 215 Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  ** 216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  ** 217 K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		212	Hypercholesterolemia", The Ameri	can Journal of Medici	ine Vol. 94, Jar	uary 1993, pgs. 13-19
Combination, Specifically, Gemfibrozil and Lovastatin", Pharmacotherapy Vol. 12, Number 6, 1992, pgs. 445-450  **  214  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9th Edition, pgs. 875-894  **  215  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**		S. Wirebaugh et al., "A Retrospecti	ve Review of the Use	of Lipid-Lowe	ering Agents in
1992, pgs. 445-450  **  214  J. Witztum, "Drugs Used In The Treatment of Hyperlipoproteinemias", The Pharmacological Basis of Therapeutics, 9 <sup>th</sup> Edition, pgs. 875-894  **  215  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		213				
214  3. Witzuni, Diugs Osed in The Treatment of Hyperhopproteinemias , The Pharmacological Basis of Therapeutics, 9 <sup>th</sup> Edition, pgs. 875-894  **  215  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90				•		
Basis of Therapeutics, 9th Edition, pgs. 875-894  **  215  Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**	214	J. Witztum, "Drugs Used In The T	reatment of Hyperline	proteinemias"	The Pharmacological
Yan Xia et al., "Substituted 1,3,5-Triazines As Cholesteral Ester Transfer Protein Inhibitors", Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		214			· F ,	
Bioorganic & Medicinal Chemistry Letters, Vol. 6, No. 7, 1996, pgs. 919-922  **  216  A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**				al Ester Transf	er Protein Inhibitors"
** 216 A. Yamamoto et al., "Effects of Probucol on Xanthomata Regression in Familial Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  ** 217 K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		215	Biographic & Medicinal Chemistry	Letters Vol 6 No 7	1996 ngs 91	0_022
Hypercholesterolemia", Am Journal Cardiolgy, 1986, 57: pgs. 29H-35H  **  217  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	**					
**  K. Ytre-Arne et al., "Simvastatin and Cholestyramine In The Long-Term Treatment of Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90		216				
Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90			L			
Hypercholesterolaemia", Journal of Internal Medicine (1989): 226, pgs. 285-90	<b>平</b> 不	217	K. Ytre-Arne et al., "Simvastatin ar	nd Cholestyramine In	The Long-Term	n Treatment of
EVAMINED DAME CONGINER		211	Hypercholesterolaemia", Journal of	Internal Medicine (19	989): 226, pgs.	285-90
HI COMPINED	EVANDIED					
EXAMINER DATE CONSIDERED	EXAMINER				DATE CONS	SIDERED

<sup>\*</sup>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

<sup>\*\*</sup>Copies of references not provided at the time of this submission.

Approved for use through 10/31/2002. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substitu	te for form 144	9A/PTO		C mplet if Kn wn		
				Application Number	TBA	
INFO	DRMAT	ION DIS	CLOSURE	Filing Date	July 3, 2003	
STA	TEMEN	ENT BY APPLICANT		First Named Inventor	KELLER et al.	
				Group Art Unit	TBA	
	(use as ma	ny sheets as	necessary)	Examiner Name	TBA	
Sheet	10	of	12	Attorney Docket Number	161765.00535 (3296/01/US/CON)	

			U.S. PATENT DOCU	MENTS	
Examiner Initials *	Cite No.1	U.S. Patent Documen Kind Code	Name of Patentee or Applicant	Date of Publication of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant
	<u> </u>	(if known)		MM-DD-YYYY	Figures Appear
	218.	3,694,446	Houlihan et al.	09/26/72	
	219.	4,346,227	Terhara et al.	08/24/82	
	220.	4,410,629	Terahara et al.	10/18/83	
	221.	4,448,979	Terahara et al.	05/15/84	
	ļ				

	Pages, Columns, Lines,		Name of Patentee	ment	eign Patent Docun	For	Cita	Eveniese
vant _	Where Relevant Passages or Relevant Figures Appear	Cited Document MM-DD-YYYY	or Applicant of Cited Document	ind Code <sup>5</sup> <i>if known</i> )	Number (i		Cite No. <sup>1</sup>	Examiner Initials*
		12/24/81	Terahara	A1	3 122 499	DE	222.	
		01/21/81	Monaghan	A1	0 022 478	EP	223.	
		08/12/81	Willard	B1	0 033 538	EP	224.	
		Chen 11/04/87	Chen	A2	0 244 364	EP	225.	_
		01/23/91	Roth	A1	0 409 281	EP	226.	
		11/04/70			1 211 258	GB	227.	
		12/16/81		Α	2 077 264	GB	228.	
_		12/16/81		A	2 077 264	GB	228.	

Examiner Signature	Date Considered	

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup> Unique citation designation number. <sup>2</sup> See attached Kinds of U.S. Patent Documents. <sup>3</sup> Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup> For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup> Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. <sup>6</sup> Applicant is to place a check mark here if English language Translation is attached.

Approved for use through 10/31/2002. OMB 0651-0031 U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

Substitute for form 1449A/PTO Complete if Known **Application Number TBA** INFORMATION DISCLOSURE Filing Date July 3, 2003 STATEMENT BY APPLICANT First Named Inventor KELLER et al. **Group Art Unit TBA** (use as many sheets as necessary) **Examiner Name TBA** Attorney Docket Number 161765.00535 (3296/01/US/CON)

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	Т,
	229.	Angelin, B., "Regulation of Hepatic Cholesterol Metabolism in Man," Ann. Med. 23, pp. 10-27 (1991).	
	230.	Blum, C. B., "Comparison of Properties of Four Inhibitors of 3-Hydroxy-3-Methylglutaryl-Coenzyme A Reductase," Am. J. Cardiol., 73(14), 3D-11D, (1994).	
	231.	Cayen, M.N., *Disposition, Metabolism and Pharmacokinetics of Anthyperlipidemic Agents in Laboratory Animals and Man,* Pharmac. & Ther., 29, pp. 157-204 (1985).	
	232.	Da Col, et al., "Tolerability and Efficacy of Combination Therapy with Simvastatin Plus Gemfibrozil in Type II Refractory Familial Combined Hyperlipidemia," Curr. Therap. Research, Vol. 53, No. 5, pp. 473-483 (1993).	
	233.	Davignon, et al. "HMG CoA Reductase Inhibitors: A look back and a look ahead," Can. J. Cardiol., 8(8), pp. 843-864 (1992).	
	234.	Endo, A. "Chemistry, biochemistry and pharmacology of HMG-Co-A reductase inhibitors," Klin. Wochemschr. 66, pp. 421-427 (1988).	
	235.	Kramer et al., "Bile acid derived HMG-CoA reductase inhibitors," Biochimica et Biophysica Acta, 1227 pp. 137- 154 (1994).	
	236.	Marcus, A., *Role of the HMG-CoA Reductase Inhibitors in the Treatment of Dyslipidemia: An Evolutionary Review,* CVR&R, pp. 13-27 (January 1996).	

Considered	Examiner Signature		Date Considered	
------------	-----------------------	--	--------------------	--

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

<sup>&</sup>lt;sup>1</sup> Unique citation designation number. <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.

12

Sheet

12

of

PTO/SB/08A (08-00) Approved for use through 10/31/2002. OMB 0651-0031

161765.00535 (3296/1/US/CON)

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control nu

Substitute for form 1449A/PTO		Complete if Known
INFORMATION DISCLOSURE	Application Number	TBA
INFORMATION DISCLOSURE	Filing Date	July 3, 2003
STATEMENT BY APPLICANT	First Named Inventor	KELLER et al.
	Group Art Unit	TBA
(use as many sheets as necessary)	Examiner Name	TBA

**Attorney Docket Number** 

FOREIGN PATENT DOCUMENTS								
Examiner	Cite	Foreign Patent Document		Name of Patentee	Date of Publication of	Pages, Columns, Lines,		
Initials*	No.1	Office <sup>3</sup>	Number <sup>4</sup>	Kind Code <sup>5</sup> ( <i>if known</i> )	or Applicant of Cited Document	Cited Document MM-DD-YYYY	Where Relevant Passages or Relevant Figures Appear	T <sub>6</sub>
	237.	EP	0646570	A1		04/05/95		
	238.	WO	98/40375			09/17/98		
	239.	WO	99/35135			07/15/99		
	240.	wo	00/01687			01/13/00		
	241.	wo	00/38725			07/06/00		
	242.	wo	00/38729			07/06/00		
				<u> </u>				

		OTHER PRIOR ART NON PATENT LITERATURE DOCUMENTS	
Examiner Initials *	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
	243.	International Search Report for International Application No. PCT/US01/07505, issued May 24, 2002	
	244.	Graul et al., "(+)-(3R,5S)-7-[4-(4-Fluorophenyl)-6-isopropyl-2-(N-methyl-N-methanesulfonylamino)pyrimidin-5-yl]-3,5-dihydroxy-6(E)-heptanoic acid calcim salt (2:1)," Drugs of the Future 1999 24(5):511-513.	
	245.	Hara et al., "S-8921, An Ileal Na+/Bile Acid Cotransporter Inhibitor Decreases Serum Cholesterol in Hamsters," Life Sciences Vol. 60, No. 24, pp. 365-371, 1997.	

Examiner	Date
Signature	Considered

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>&</sup>lt;sup>1</sup> Unique citation designation number. <sup>2</sup> Applicant is to place a check mark here if English language Translation is attached.